

# Winner 10 & Winner 10 Performance



*English*  
Standard Description  
August - 2015

 **winner**  
yachts

		<i>W10</i>	<i>W10 Perf.</i>
<b>Technical specification</b>			
Length over all	m	10.14	
Waterline	m	8.70	
Beam	m	3.25	
Draft standard keel	m	1.80	
Draft shallow Keel	m	1.40	
Draft Performance keel	m	1.95	
Mast height	m	15.95	
Displacement standard keel	kg	4.300	
Displacement shallow keel	kg	4.500	
Displacement performance keel	kg	4.100	
Ballast standard keel	kg	1.600	
Mainsail	m <sup>2</sup>	34	
High Aspect jib	m <sup>2</sup>	26	
Working jib	m <sup>2</sup>	14	
Stormjib	m <sup>2</sup>	7	
Gennaker	m <sup>2</sup>	68	
Spinnaker	m <sup>2</sup>	85	
Steering system		tiller	
Optional steering system		wheel	
<b>EC certificate</b>		<b>CAT A</b>	
<b>Engine installation</b>			
Motor		Yanmar	
Type		3YM20-CE	
PK/Kw		21/15,4	
Propulsion		Saildrive	
Sail drive with dual membrane and sensor with acoustic alarm		•	
Intercooler		•	
"Flex-O-Fold" 2 bladed folding propeller		•	
Warning lamps for lube oil pressure, cooling water temperature and charging		•	
Digital engine hours counter on dashboard in cockpit		•	
Tachometer		•	
Ampèremeter with shunt for service batteries (load and charge)		o	
Water-cooled rubber exhaust system with noise reducing water lock		•	
Engine compartment carefully sound isolated with resilient material		•	
Fuel tank		70 L	
<b>Hull and deck</b>			
Fibreglas hull, reinforced with woven roving and chopped mats. Built hand lay-up. Gelcoat in NPG quality. Waterlines and stripes in gelcoat (maintenance free). The laminated longitudinal reinforcements and to the hull laminated bulkheads, make a very solid and stiff construction. In the bow section is a watertight compartment. The deck has a sandwich construction with a layer of foam and has an anti-slip on deck. Deck and hull are joined using woven roving and chopped mats providing a solid and watertight construction		•	
Hull and deck are built in a sandwich construction		•	
Deck with GRP toerail		•	
Standard colours: hull = white, deck = white, waterlines dark grey		•	
Seamless hull/stern joining		•	
Waterlines and stripes in gelcoat		•	
Cockpit bunks are made of teak		•	
Self bailing anchor locker		•	
4 aluminium cleats		•	
Instruments fitted above entrance hatch		•	
Water fill opening		•	
Fuel fill opening		•	
Black water tank outlet		•	
Alu/rubber rubbingstrake		•	
Stainless steel rubbingstrake		o	
Washboard stowage facility		o	
<b>Teak</b>			
Teak on cockpit seats		•	
Teak on cockpit floor		o	
Teak on side decks		o	
<b>Ballast</b>			
Cast iron bulb keel with low centre of gravity, protected with anti-rust paint		•	
GRP construction around the keel reinforced with steel keel grid		•	

	<i>W10</i>	<i>W10 Perf.</i>
<b><i>Rudder/Steering</i></b>		
Teak varnished tiller	•	
Laminated teak tiller	•	
Polished stainless steel tiller equipment	•	
Rudder bearings, upper and lower needle bearing JEFA	•	
Conic stainless steel rudderpost	•	
Ronstan tiller extension	•	
<b><i>Mast and Standing rigging</i></b>		
Silver anodised and tapered mast	•	
Double set of spreaders	•	
9/10 rigging	•	
Standing rigging in stainless steel dyform	•	
Discontinue rigging	•	
Stainless steel rigging screws with brass housing.	•	
Furling genoa system Harken	•	
Furling system mounted under deck in anchor locker	•	
Windex	•	
<b><i>Running rigging</i></b>		
All halyards and control lines led aft to cockpit	•	
Dynema halyards for genoa and mainsail with shackles	•	
2 reefinglines	•	
Outhaul	•	
Downhaul	•	
Rodkicker	o	
Cunninghamhole	o	
Topping lift (for boom)	•	
Adjustable backstay (Dyneema)	•	
<b><i>Hardware</i></b>		
Stainless steel and seawater resistant anodized aluminium	•	
Ronstan and Spinlock deck hardware	•	
<b><i>Winches</i></b>		
2 Harken Radial genua winches	40.2STA	
2 Harken Radial halyard winches	20.2STA	
<b><i>Hatches</i></b>		
Seawater resistant anodised aluminium hatches with Perspex glass (smoke) from Moonlight	3	
Port lights (Moonlight)	2	
Perspex glass (smoke) sliding entrance hatch	•	
Windows: Coloured (smoke) and hardened security glass	•	
<b><i>Pulpit and Stanchions</i></b>		
Stainless steel pulpit	•	
Stainless steel aft pushpit	•	
8 stainless steel stanchions (61 cm) with 2 stainless steel lifelines	•	
Stainless steel bathing ladder on bathing platform	•	
Extra step for bathing ladder on transom	o	
<b><i>Sails</i></b>		
Mainsail, Hagoort Sails	Off Shore Perf.	
High Aspect jib , Hagoort Sails	Off Shore Perf.	
2 reefs in mainsail	•	
Mainsail luff with runners	•	
Full top batten (2x)	•	
Winner" sail sign,	•	
2 sail bags, sail bands	•	
Mainsail cover in dark grey	o	

	W10	W10 Perf.
<b>Navigation and electronics</b>		
Shore supply connection including shorecable (230V) with socket in galley and Automatic battery charger 30 amp	o	
Shore supply connection (230V) with socket in galley and Automatic battery charger 20 amp	o	
4x 230V socket (1x in pantry, 1x at chart table, 1x forward head, 1x fw cabin)	o	
Separated power circuit (service and start)	•	
12 V starter battery 75 Ah	•	
12 V combined start and service battery 110 Ah	•	
12V Service battery 1x 110 Ah	o	
12V Service battery 2x 110 Ah	o	
Compass, mounted above entrance	•	
2x Compass, mounted on both sides of the cockpit	o	
<b>Navigation and interior lights</b>		
Combined red/green at the bow, white transom light in LED	•	
Combined steam light and deck light (in mast)	•	
Three colour mast head light with separate switch on dashboard	•	
Navigation lights Germanischer Lloyd approved	•	
Complete set of LED cabin lights	•	
Chart light at chart table	•	
LED night vision lights at entrance and in salon	o	
12 Volt connection at chart table	•	
Voltmeter	o	
<b>Bilge pump</b>		
Bilge pump operated from the cockpit.	•	
Hand bilge pump (not fitted).	•	
<b>Interior</b>		
Complete interior in matt varnished teak	•	
Interior with open aft cabin	•	
Frigomatic automatic cooling unit in isolated box	o	
Boiler with hot and cold water	o	
<b>Upholstery</b>		
1st quality polyether upholstery	•	
All cushions with zippers	•	
Mattresses in forward and aft cabin in foam and ticken (14 cm)	o	
Matrasses in forward and aft cabin in polyether and dark grey upholstery (10 cm)	•	
Set of upholstery matching curtains in saloon	•	
Latex Mattresses	o	
<b>Toilet</b>		
Under water line pump toilet with sea cocks	•	
Cupboard with white GRP integrated washbasin	•	
Teak cupboard with Corian countertops and stainless steel washbasin	-	
Waste water tank with pump, deck outlet and level indicator	•	
Shower with automatic bilge pump	o	
<b>Fresh water system</b>		
2 water tanks underneath the cabin berths	165 L	
Electric pressure system in galley and toilet	•	
<b>Pantry and gas system</b>		
Gas bottle with security pressure valve in separated and ventilated gas box	o	
2 burner gimbaled stove, with oven and thermo security shut off	•	
<b>Inventory</b>		
Winch handles Harken	1	
Plow anchor with chain	12 kg	
4 mooring warps, 6 fenders	o	
4 mooring warps, 4 fenders	•	
Fire extinguishers	2	
Manual, set of tools and warranty certificate for the Yanmar engine	•	
National flag with flag pole	•	
Extensive owners manual	•	

All Winner Yachts comply with the requirements of the EU Recreational Craft Directive nr. 94/25/EG and are delivered with EU type certificate Class A. Measurements and weights are given to you in best knowledge. Construction and details subject to changes. All prices are export prices excluding VAT, prices are ex yard. All our offers and contracts of sale are subject to the HISWA terms for building, repair and maintenance of pleasure craft, as filed in the registry of the District Court in Amsterdam of April 1st 2011 under number 40/2011.